

NBS SPECIFICATION

Products

- Manufacturer: WeatherFAST
- Product reference: WeatherFAST, WeatherFOLD gutter lining systems
- Profile: Width up to 1500 mm wide
- Construction: Upper and lower layer skin of galvanised steel with Fatra single ply membrane
- Sole Board: if required
- Upper layer finish: Prebonded 1.2 mm Fatra Chequer Plate, thickness single ply membrane
- Underside finish: 0.6 mm Tata/Arceo Steel
- Fixings: Pop rivets, Dome fixings
- Accessories: Leaf guards. PVC Dipped 63mm to 150 mm diameter weir overflows to gutter run, stopends, rainwater outlets, loose strap, corners





WeatherFAST



Weather FOLD Gutter System

Weatherfold offer a unique way of re-lining old & leaky valley/boundary wall gutters. Our unique 3 fold gutter system offers a 25 year product guarantee, which will outlast most products on the market.

Features and Benefits


- 25 year product Guarantee
- Unique 3 fold system
- Arrive on site flat packed
- Easy to assemble
- 75 mm built in end lap
- Up to 3500 mm lengths and 1.250 mm widths
- Full range of accessories available
- System warranty on our product is issued once installed and passed inspection


Sustainability / Performance

Our 3 fold gutter system comprises of a 0.6mm steel substrate with a 1.2 mm Fatrafol chequer plate slip resistant membrane.

We would recommend a 25 mm sole board laid into the existing gutters if required


No angles are required because our system can simply be folded out on site to suit the existing gutter angle WeatherFOLD

















This drawing is copyright and is sent to you're confidence. It must not be copied, used or disclosed, in white or per. In their parties without our witness permission. It remains the property of UEP'S LTD and must be started our respect. DNIST SCALE.

NOTES

ALL CONTACT SURFACES BETWEEN GALV AND ALUMINIUM TO BE ISOLATED USING PVC TAPE. TAPE 75 3000 FIXING POINTS UNIT 2, WINSTER GROVE GREAT BARR, BIRMINGHAM B44 9EG Drg Title FIXING POSITION DETAIL



UNIT 2 WINSTER GROVE **GREAT BARR** BIRMINGHAM B44 9EG

~ -1			Re	£.
\sim	nen	11112	RA	т.
-	IICU	uic		٠.

Project:


Contract No:

Phase / Building / Application:


Date:

All Angles 90° U.N.O All Dimensions to Outside Face Unless Stated Butt Straps to be 150mm Wide U.N.O.

Arrow Denotes Colourside Ref Code to be Marked to Rear of Each Item



DIM 'A'		
DIM 'B'		
DIM 'C'		
No REQ'D	@ 3000MM LONG	



DIM 'A'		
DIM 'B'		
DIM 'C'		
No REQ'D	@ 3000MM LONG	